



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/801,792	03/16/2004	Michael A. Holmes	M. HOLMES 3-6	1925
47396	7590	05/16/2007		
HITT GAINES, PC LSI Corporation PO BOX 832570 RICHARDSON, TX 75083			EXAMINER QIAN, SONGWEI	
			ART UNIT 2109	PAPER NUMBER
			NOTIFICATION DATE 05/16/2007	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket@hittgaines.com

## Office Action Summary

**Application No.**

10/801,792

**Applicant(s)**

HOLMES ET AL.

**Examiner**

Songwei Qian

**Art Unit**

2109

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 March 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 June 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

1. The application claims benefit of 06/488,168 filed on 07/18/2003.
2. Claims 1-20 are pending in this application.

***Claim Rejections - 35 USC § 101***

3. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

4. Claims 1-7 and 15-20 are rejected under 35 U.S.C. 101 as the claimed invention is directed to non-statutory subject matter.
5. In claims 1-7 and 15-20, a "system" is being recited; however, it appears that the system would reasonably be interpreted by one of ordinary skill in the art as software, per se. The only three elements positively recited as part of the system are the "graph generator", "graph converter", and "description generator". It appears that these elements would reasonably be interpreted as representative of the software. As such, it is believed that the system of claims 1-7 and 15-20 is reasonably interpreted as software, per se.

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-2, 4-9, and 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gregory et al. (US Pat. # 5,937,190), hereinafter "Gregory" in view of Nelson et al. (US Pat. # 5,568,644), hereinafter "Nelson", and further in view of Oualline (Steve Oualline, Practical C Programming, 3rd Edition, O'Reilly, August 1997).

8. As for claim 1, Gregory discloses:

A system for automatically generating a hierarchical register consolidation structure (A computer-aided circuit analysis tool, Col. 56, lines 52-54), comprising:

a graph generator that parses a High-level Design Language (HDL) file to generate an intermediate graph (Figures 4 and 9, and Col. 27, line 61; note that the tree in Figure 9 is considered as an intermediate graph);

a graph converter, associated with said graph generator, that selectively adds virtual elements and nodes to said intermediate graph (4135, Figure 7) to transform said intermediate graph into a mathematical tree (Figures 7 and 12; the tree in Figure 12 is considered as a mathematical tree);

But Gregory does not explicitly disclose:

an intermediate graph containing definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers;

a description generator, associated with said graph converter, that employs said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure.

However, Nelson discloses:

an intermediate graph containing definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers (Fig. 1A and Col. 3, lines 9-15 and lines 31-44; note that a certain register is a alarm register and an alarm register is a computer device that store summary bits and masks).

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory with the teachings of Nelson by making an intermediate graph to contain definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers in order to determine the interrupting device (Nelson, Col. 1, line 51).

Art Unit: 2109

But neither Gregory nor Nelson explicitly disclose:

a description generator, associated with said graph converter, that employs said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure.

However, Oualline discloses:

a description generator, associated with said graph converter, that employs said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory and Nelson with the teachings of Oualline by employing said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure in order to organize and process information (Oualline, Chapter 1, Page 1 of 4, 1<sup>st</sup> paragraph).

9. As for claim 8, Gregory discloses:

A method of automatically generating a hierarchical register consolidation structure (A computer-aided circuit analysis tool, Col. 56, lines 52-54), comprising:  
parsing a High-level Design Language (HDL) file to generate an intermediate

Art Unit: 2109

graph (Figures 4 and 9, and Col. 27, line 61; note that the tree in Figure 9 is considered as an intermediate graph);

selectively adding virtual elements and nodes to said intermediate graph (4135, Figure 7) to transform said intermediate graph into a mathematical tree (Figures 7 and 12; the tree in Figure 12 is considered as a mathematical tree);

But Gregory does not explicitly disclose:

an intermediate graph containing definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers;

employing said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure.

However, Nelson discloses:

an intermediate graph containing definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers (Fig. 1A and Col. 3, lines 9-15 and lines 31-44; note that a certain register is a alarm register and an alarm register is a computer device that store summary bits and masks).

Art Unit: 2109

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory with the teachings of Nelson by making an intermediate graph to contain definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers in order to determine the interrupting device (Nelson, Col. 1, line 51).

But neither Gregory nor Nelson explicitly disclose:

employing said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure.

However, Oualline discloses:

employing said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory and Nelson with the teachings of Oualline by employing said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition



Art Unit: 2109

management structure in order to organize and process information (Oualline, Chapter 1, Page 1 of 4, 1<sup>st</sup> paragraph).

10. As for claims 2 and 9, the claims are rejected for the same reasons as claims 1 and 8 above. In addition, Nelson discloses:

said intermediate graph further contains bit offsets associated with said alarm registers (Col. 3, lines 31-44; note that a certain register is a alarm register and an alarm register is a computer device that store bit offsets).

11. As for claims 4 and 11, the claims are rejected for the same reasons as claims 1 and 8 above. In addition, Oualline discloses:

said programming language is C (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

12. As for claims 5 and 12, Gregory discloses:

said HDL file is produced by a hardware description tool (Col. 5, lines 19-22; note that VHDL is a hardware description tool).

13. As for claims 6 and 13, the claims are rejected for the same reasons as claims 1 and 8 above. In addition, Nelson discloses:

said condition management structure (Interrupt Source Tree, Col. 3, line 12) interacts only with a logical representation of said microprocessor-accessible registers,

Art Unit: 2109

node interrelationships, summary bits and masks (Fig. 1A and Col. 3, lines 9-15, and Col. 3, lines 31-44; note that a certain register is a alarm register and an alarm register is a computer device that store summary bits and masks).

14. As for claims 7 and 14, the claims are rejected for the same reasons as claims 1 and 8 above. In addition, Gregory discloses:

said graph generator, said graph converter are embodied in sequences of instructions executable in a general purpose computing system (Figure 7 and Col. 56, lines 52-54).

and Oualline discloses:

said description generator are embodied in sequences of instructions executable in a general purpose computing system (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

15. Claims 3, 10, and 15-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gregory and Nelson in view of Oualline, and further in view of Burke (Sean M. Burke, Perl & LWP, O'Reilly, June 2002).

16. As for claim 15, Gregory discloses:

A system for automatically generating a hierarchical register consolidation structure (A computer-aided circuit analysis tool, Col. 56, lines 52-54), comprising:

Art Unit: 2109

a graph generator that parses a High-level Design Language (HDL) file to generate an intermediate graph (Figures 4 and 9, and Col. 27, line 61; note that the tree in Figure 9 is considered as an intermediate graph);

a graph converter, associated with said graph generator, that selectively adds virtual elements and nodes to said intermediate graph (4135, Figure 7) to transform said intermediate graph into a mathematical tree (Figures 7 and 12; the tree in Figure 12 is considered as a mathematical tree);

But Gregory does not explicitly disclose:

an intermediate graph containing definitions of microprocessor-accessible registers, node interrelationships and summary bits, bit offsets and masks associated with alarm registers;

a description generator, associated with said graph converter, that employs said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure and an HTML traversable tree representation based on said mathematical tree.

However, Nelson discloses:

an intermediate graph containing definitions of microprocessor-accessible registers, node interrelationships and summary bits, bit offsets and masks associated with alarm registers (Fig. 1A and Col. 3, lines 9-15 and lines 31-44; note that a certain

Art Unit: 2109

register is a alarm register and an alarm register is a computer device that store summary bits and masks);

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory with the teachings of Nelson by making an intermediate graph to contain definitions of microprocessor-accessible registers, node interrelationships and summary bits and masks associated with alarm registers in order to determine the interrupting device (Nelson, Col. 1, line 51).

But neither Gregory nor Nelson explicitly disclose:

a description generator, associated with said graph converter, that employs said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure and an HTML traversable tree representation based on said mathematical tree.

However, Oualline discloses:

a description generator, associated with said graph converter, that employs said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

Art Unit: 2109

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory and Nelson with the teachings of Oualline by employing said mathematical tree to generate a static tree description in a programming language suitable for use by a device-independent condition management structure in order to organize and process information (Oualline, Chapter 1, Page 1 of 4, 1<sup>st</sup> paragraph).

But none of Gregory, Nelson, and Oualline explicitly discloses:

an HTML traversable tree representation based on said mathematical tree.

However, Burke discloses:

an HTML traversable tree representation based on said mathematical tree (Chapter 9, Example 9-1 and Figure 9-1).

It would have been obvious to one of ordinary skill in the art at the time of invention was made to combine the teachings of Gregory, Nelson, and Oualline with the teachings of Burke by creating an HTML traversable tree representation based on said mathematical tree in order to construct trees from HTML and to process those trees to extract information (Burke, Chapter 9, Page 1 of 2, 2<sup>nd</sup> paragraph).

17. As for claims 3 and 10, the claims are rejected for the same reasons as claims 1, 8, and 15 above. In addition, Burke discloses:

said description generator further generates an HTML traversable tree representation based on said mathematical tree (Chapter 9, Example 9-1 and Figure 9-1).

18. As for claim 16, the claim is rejected for the same reasons as claim 15 above. In addition, Oualline discloses:

said programming language is C (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

19. As for claim 17, Gregory discloses:

said HDL file is produced by a hardware description tool (Col. 5, lines 19-22; note that VHDL is a hardware description tool).

20. As for claim 18, the claim is rejected for the same reasons as claim 15 above. In addition, Nelson discloses:

said condition management structure (Interrupt Source Tree, Col. 3, line 12) interacts only with a logical representation of said microprocessor-accessible registers, node interrelationships, summary bits and masks (Fig. 1A and Col. 3, lines 9-15, and Col. 3, lines 31-44; note that a certain register is a alarm register and an alarm register is a computer device that store summary bits and masks).

Art Unit: 2109

21. As for claim 19, the claim is rejected for the same reasons as claim 15 above. In addition, Gregory discloses:

said graph generator, said description generator are embodied in sequences of instructions executable in a general purpose computing system (Figure 7 and Col. 56, lines 52-54).

and Oualline discloses:

said description generator are embodied in sequences of instructions executable in a general purpose computing system (Chapter 17, Section 17.10: Data Structures for a Chess Program, Page 1 of 2).

22. As for claim 20, the claim is rejected for the same reasons as claim 15 above. In addition, Nelson discloses:

said hierarchical register consolidation structure (Interrupt Source Tree, Col. 3, line 12) pertains to a real-time system (Col. 1, lines 9-11).

### ***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Songwei Qian whose telephone number is 571-270-1910. The examiner can normally be reached on M-F (alternative Friday off 8:00am thru 5:00pm).

Art Unit: 2109

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nabil El-Hady can be reached on 571-272-3963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SQ  
05/03/2007

  
NABIL M. EL-HADY  
SUPERVISORY PATENT EXAMINER